

	L #	Hits	Search Text	DBs
1	L1	1648	(cusion adj mix or internal near3 filler)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	45	axial\$2 near10 outside near10 upturn near10 (carcass or reinforcement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	L3	256	radial\$3 near5 bead adj. wire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	L4	3024	bottom adj zone	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	L5	6429	carcass near5 reinforc\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	10763	bead near5 reinforc\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	L7	8878	tire and (1 2 3 4 5 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
8	L8	70139	(natural adj rubber or polyisoprene)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	L9	12660 1	carbon adj black	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	L10	51175 8	silica	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	L17	23	9 same surface adj area and 10 same surface adj area and 9 same phr! and 10 same phr! and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	L18	65	10 same surface adj area and 10 same phr! and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	L19	42	18 not 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	L20	43	9 same surface adj area and 10 same surface adj area and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	L21	20	20 not (18 17)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
16	L22	386	crown adj reinforcement same(1 2 3 4 5 6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L23	147	crown adj reinforcement same (axial\$2 near5 carcass or radial\$4 near5 bead)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	L24	233	crown adj reinforcement near3 (axial\$2 or radial\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L25	11021	radial\$3 near5 bead	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	L26	89	(1 2 3) and 9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	L27	293	(1 2 25) and 9 and 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	L28	3	reinforcement adj profile with radial\$3 near5 bead	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>23</b>	L29	3	profiled adj member near5 axial\$2 near10 upturn near10 (carcass or reinforcement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>24</b>	L30	63	axial\$2 near10 upturn near10 (carcass or reinforcement)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>25</b>	L31	11	9 same surface adj area and 10 same surface adj area and 9 same phr! and 10 same phr! and (30 25)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>26</b>	L32	24	9 same surface adj area and 10 same surface adj area and 9 same phr! and 10 same phr! and apex and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
<b>27</b>	L33	97	10 same surface adj area and 10 same phr! and apex and tire	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB